

Technical Data Sheet

B7774 – Belt Dressing

Revised 03.08.10



BARNWELL

THE SEAL OF APPROVAL

B7774 Belt Dressing

PRODUCT DESCRIPTION

B7774 effectively boosts the performance of “V”, flat and round drive belts by reducing slippage, thereby extending belt life, reducing energy needs and the noise associated with slipping belts.

APPLICATIONS

B7774 can be used on all drive belts, such as “V”, flat and round.

USEFUL HINTS

- Highly tacky product – effectively reduces slippage
- Suitable for all drive belts
- Increases belt life
- Boosts transmitted power by up to 50%
- Helps in the reduction of energy costs
- High adhesion prevents thrown off
- Resistant to oxidation
- Easily removed.

INSTRUCTIONS FOR USE

Shake can well before use. Spray from 25-30cm ensuring an even coating over the whole surface. Slippage will decrease as product is distributed.

STORAGE

Storage temperature should be kept below 50°C. Storage area should be out of direct sunlight.

TECHNICAL FEATURES

Appearance	Clear tacky low viscosity fluid
Odour	Low odour after solvent has evaporated
Contents	Blend of synthetic polymer plasticiser, naphtha solvent and hydrocarbon propellants. No silicones.
Solubility	Insoluble in water
Storage	Below 50°C
Flash Point	< 0°C
Relative Gravity	0.673
Temperature range	Up to 130°C

HEALTH & SAFETY IN USE

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on to an open flame or any incandescent material. Keep away from sources of ignition. This technical information sheet for does not constitute a Material Safety Data Sheet (MSDS). Before using this product ensure you have read and fully understand the MSDS.

PRESENTATION

Aerosol.....400ml

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product. Warranty: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is considered accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.